



Natural gas condensing boilers: input capacity up to 299 MBTUH

Rebates for your business

Download the rebate application at nicorgasrebates.com/apply for eligibility requirements and program terms and conditions.

energySMART offerings and availability of funding are subject to change. To ensure eligibility, please use the most current qualifying products list available at <http://nicorgasrebates.com/your-business/rebates-for-your-business>

energySMART, a Nicor Gas program, is a multi-year program funded by Nicor Gas customers in compliance with Illinois law.

Manufacturer	Model Name	AFUE (%)	Input (MBTUH)
ADVANCED THERMAL HYDRONICS	KN-2	90.0	200.0
A. O. SMITH	ACB-110(S,H)-(N,P)	95.0	110.0
A. O. SMITH	ACB-150(S,H)-(N,P)	95.0	150.0
A. O. SMITH	ACB-199(S,H)-(N,P)	95.0	199.0
BAXI	DUO-TEC COMPACT 30 GA	95.0	94.0
BAXI	LUNA DUO-TEC 1.33 GA	95.0	125.9
BAXI	LUNA DUO-TEC 1.70	95.0	241.0
BAXI	LUNA DUO-TEC 40 GA	95.0	125.9
Biasi	M210.32CM/CV	91.5	125.0
BOSCH	KBR 16-3	95.0	57.0
BOSCH	KBR 21-3	95.0	79.0
BOSCH	KBR 28-3	95.0	101.0
BOSCH	KBR 35-3	95.0	132.0
BOSCH	KBR 42-3	95.0	152.0
BOSCH	KWB 28-3	95.0	101.0
BOSCH	KWB 35-3	95.0	132.0
BOSCH	KWB 42-3	95.0	152.0
BOSCH	SSB 120	96.0	119.4
BOSCH	SSB 160	96.0	160.4
BOSCH	SSB255	96.0	255.9
BOSCH	SSB 85	96.0	85.3
BOSCH	ZBR 16-3	95.0	57.0
BOSCH	ZBR 21-3	95.0	79.0

Manufacturer	Model Name	AFUE (%)	Input (MBTUH)
BOSCH	ZBR 28-3	95.0	101.0
BOSCH	ZBR 35-3	95.0	132.0
BOSCH	ZBR 42-3	95.0	152.0
BOSCH	ZWB 28-3	95.0	101.0
BOSCH	ZWB 35-3	95.0	132.0
BOSCH	ZWB 42-3	95.0	152.0
BRADFORD WHITE	BLMC125	95.0	125.0
BRADFORD WHITE	BLMH125	95.0	125.0
BRADFORD WHITE	BLXCW150(N,P)****	95.0	150.0
BRADFORD WHITE	BLXCW175(N,P)****	95.0	175.0
BRADFORD WHITE	BLXHW050(N,P)****	95.0	50.0
BRADFORD WHITE	BLXHW075(N,P)****	95.0	75.0
BRADFORD WHITE	BLXHW100(N,P)****	95.0	100.0
BRADFORD WHITE	BLXHW125(N,P)****	95.0	125.0
BRADFORD WHITE	BLXHW150(N,P)****	95.0	150.0
BRADFORD WHITE	BLXHW175(N,P)****	95.0	175.0
BRADFORD WHITE	BLXHW220(N,P)****	95.0	220.0
BRADFORD WHITE	BMFTCF199(N,P)****	95.0	199.0
BRADFORD WHITE	BMFTCF(W)140(N,P)****	95.0	140.0
BRADFORD WHITE	BMFTCW120****	95.0	120.0
BRADFORD WHITE	BMFTCW199(N,P)****	95.0	199.0
BRADFORD WHITE	BMFTHW080(N,P)****	95.0	80.0
BRADFORD WHITE	BMFTHW100(N,P)****	95.0	100.0
BRADFORD WHITE	BMFTHW120(N,P)****	95.0	120.0
BRADFORD WHITE	BMFTHW140(N,P)****	95.0	140.0
BRADFORD WHITE	BMFTHW199(N,P)****	95.0	199.0
BRADFORD WHITE	BNTH080	95.0	80.0
BRADFORD WHITE	BNTH105	95.0	105.0
BRADFORD WHITE	BNTH150	95.0	150.0
BRADFORD WHITE	BNTH210	95.0	210.0
BRADFORD WHITE	BNTH285	95.0	285.0
BRYANT	BW9AAN000050*	90.0	50.0
BRYANT	BW9AAN000075*	90.0	75.0
BRYANT	BW9AAN000100*	90.0	100.0
BRYANT	BWMAAN000050	95.0	50.0
BRYANT	BWMAAN000075	95.0	75.0
BRYANT	BWMAAN000100	95.0	100.0
BRYANT	BWMAAN000150	95.0	150.0
BRYANT	BWMAAN000200	95.0	200.0
BRYANT	BWMAAN000299	95.0	299.0
BUDERUS	GB 142 24	95.0	84.5
BUDERUS	GB 142 30	95.0	106.0
BUDERUS	GB 142 45	95.0	161.0
BUDERUS	GB 142 60	95.0	215.0
BUDERUS	GB162 80	92.1	270.0
BUDERUS	GB162-80	92.1	290.0
BURNHAM BY U.S. BOILER	ALP080B	95.0	80.0
BURNHAM BY U.S. BOILER	ALP105B	95.0	105.0
BURNHAM BY U.S. BOILER	ALP150B	95.0	150.0
BURNHAM BY U.S. BOILER	ALP210B	95.0	210.0
BURNHAM BY U.S. BOILER	ALP285B	95.0	285.0

Manufacturer	Model Name	AFUE (%)	Input (MBTUH)
BURNHAM BY U.S. BOILER	ASPN-085	96.0	85.0
BURNHAM BY U.S. BOILER	ASPN-110	96.0	110.0
BURNHAM BY U.S. BOILER	ASPN-155	95.0	155.0
BURNHAM BY U.S. BOILER	ASPN-205	95.0	205.0
BURNHAM BY U.S. BOILER	ASPN-270	95.0	270.0
BURNHAM BY U.S. BOILER	ASPNC-155	95.0	155.0
BURNHAM BY U.S. BOILER	K2-080	94.0	80.0
BURNHAM BY U.S. BOILER	K2-100	93.3	100.0
BURNHAM BY U.S. BOILER	K2-120	94.0	120.0
BURNHAM BY U.S. BOILER	K2-150	95.0	150.0
BURNHAM BY U.S. BOILER	K2-180	94.0	180.0
BURNHAM BY U.S. BOILER	K2FT-085	95.0	85.0
BURNHAM BY U.S. BOILER	K2FT-110	95.0	110.0
BURNHAM BY U.S. BOILER	K2FT-155	95.0	155.0
BURNHAM BY U.S. BOILER	K2FT-205	95.0	205.0
BURNHAM BY U.S. BOILER	K2FT-270	95.0	270.0
BURNHAM BY U.S. BOILER	K2FTC-155	95.0	155.0
BURNHAM BY U.S. BOILER	K2WT-080	94.0	80.0
BURNHAM BY U.S. BOILER	K2WT-080B	95.0	80.0
BURNHAM BY U.S. BOILER	K2WT-100	93.3	100.0
BURNHAM BY U.S. BOILER	K2WT-100B	95.0	100.0
BURNHAM BY U.S. BOILER	K2WT-120	94.0	120.0
BURNHAM BY U.S. BOILER	K2WT-120B	95.0	120.0
BURNHAM BY U.S. BOILER	K2WT-150	95.0	150.0
BURNHAM BY U.S. BOILER	K2WT-150B	95.0	150.0
BURNHAM BY U.S. BOILER	K2WT-180	94.0	180.0
BURNHAM BY U.S. BOILER	K2WT-180B	95.0	180.0
BURNHAM BY U.S. BOILER	K2WT-180M	94.5	180.0
BURNHAM BY U.S. BOILER	K2WTC-135B	95.0	120.0
BURNHAM BY U.S. BOILER	K2WTC-150B	95.0	150.0
BURNHAM BY U.S. BOILER	K2WTC-180B	95.0	180.0
BURNHAM BY U.S. BOILER	X-C080	94.0	80.0
BURNHAM BY U.S. BOILER	X-C080B	95.0	80.0
BURNHAM BY U.S. BOILER	X-C100	93.3	100.0
BURNHAM BY U.S. BOILER	X-C100B	95.0	100.0
BURNHAM BY U.S. BOILER	X-C120	94.0	120.0
BURNHAM BY U.S. BOILER	X-C120B	95.0	120.0
BURNHAM BY U.S. BOILER	X-C150	95.0	150.0
BURNHAM BY U.S. BOILER	X-C150B	95.0	150.0
BURNHAM BY U.S. BOILER	X-C180	94.0	180.0
BURNHAM BY U.S. BOILER	X-C180B	95.0	180.0
BURNHAM BY U.S. BOILER	X-C180M	94.5	180.0
CAMUS HYDRONICS LTD.	DMNC-0083	90.0	80.0
CAMUS HYDRONICS LTD.	DMNC-0103	90.0	100.0
CAMUS HYDRONICS LTD.	DMNC-0153	90.0	150.0
CAMUS HYDRONICS LTD.	DMNC-0203	90.0	199.0
CAMUS HYDRONICS LTD.	DMNC-0213	90.0	199.0
CAMUS HYDRONICS LTD.	DMNC-0253	90.0	250.0
CAMUS HYDRONICS LTD.	DMNC-0263	90.0	250.0
CAMUS HYDRONICS LTD.	DMNC-0293	90.0	299.0
CAMUS HYDRONICS LTD.	DMNH-0081	90.0	80.0

Manufacturer	Model Name	AFUE (%)	Input (MBTUH)
CAMUS HYDRONICS LTD.	DMNH-0101	90.0	100.0
CAMUS HYDRONICS LTD.	DMNH-0151	90.0	150.0
CAMUS HYDRONICS LTD.	DMNH-0201	90.0	199.0
CAMUS HYDRONICS LTD.	DMNH-0211	90.0	199.0
CAMUS HYDRONICS LTD.	DMNH-0251	90.0	250.0
CAMUS HYDRONICS LTD.	DMNH-0261	90.0	250.0
CAMUS HYDRONICS LTD.	DMNH-0291	90.0	299.0
CAMUS HYDRONICS LTD.	DMPC-0083	90.0	80.0
CAMUS HYDRONICS LTD.	DMPC-0103	90.0	100.0
CAMUS HYDRONICS LTD.	DMPC-0153	90.0	150.0
CAMUS HYDRONICS LTD.	DMPC-0203	90.0	199.0
CAMUS HYDRONICS LTD.	DMPC-0213	90.0	199.0
CAMUS HYDRONICS LTD.	DMPC-0253	90.0	250.0
CAMUS HYDRONICS LTD.	DMPC-0263	90.0	250.0
CAMUS HYDRONICS LTD.	DMPC-0293	90.0	299.0
CAMUS HYDRONICS LTD.	DMPH-0081	90.0	80.0
CAMUS HYDRONICS LTD.	DMPH-0101	90.0	100.0
CAMUS HYDRONICS LTD.	DMPH-0151	90.0	150.0
CAMUS HYDRONICS LTD.	DMPH-0201	90.0	199.0
CAMUS HYDRONICS LTD.	DMPH-0211	90.0	199.0
CAMUS HYDRONICS LTD.	DMPH-0251	90.0	250.0
CAMUS HYDRONICS LTD.	DMPH-0261	90.0	250.0
CAMUS HYDRONICS LTD.	DMPH-0291	90.0	299.0
CARRIER	BW9AAN000050*	90.0	50.0
CARRIER	BW9AAN000075*	90.0	75.0
CARRIER	BW9AAN000100*	90.0	100.0
CARRIER	BWMAAN000050	95.0	50.0
CARRIER	BWMAAN000050AAAA	95.0	50.0
CARRIER	BWMAAN000075	95.0	75.0
CARRIER	BWMAAN000075AAAA	95.0	75.0
CARRIER	BWMAAN000100	95.0	100.0
CARRIER	BWMAAN000100AAAA	95.0	100.0
CARRIER	BWMAAN000150	95.0	150.0
CARRIER	BWMAAN000150AAAA	95.0	150.0
CARRIER	BWMAAN000200	95.0	200.0
CARRIER	BWMAAN000200AAAA	95.0	200.0
CARRIER	BWMAAN000299	95.0	299.0
CHALLENGER	CC105	94.0	106.0
CHALLENGER	CC105s	94.0	106.0
CHALLENGER	CC125	94.0	124.0
CHALLENGER	CC125H	95.0	125.0
CHALLENGER	CC125HS	95.0	125.0
CHALLENGER	CC125s	94.0	124.0
CHALLENGER	CC150S	92.3	145.0
CHALLENGER	CC50S	95.0	51.0
CHALLENGER	CC85 S	94.0	84.0
CONSERVATOR 2	GWB9-050IH-*	90.0	50.0
CONSERVATOR 2	GWB9-075IH-*	90.0	75.0
CONSERVATOR 2	GWB9-100IH-*	90.0	100.0
CROWN	PHNTM080B	95.0	80.0
CROWN BOILER	BWC070	91.0	70.0

Manufacturer	Model Name	AFUE (%)	Input (MBTUH)
CROWN BOILER	BWC090	91.0	90.0
CROWN BOILER	BWC120	92.8	120.0
CROWN BOILER	BWC150	90.5	150.0
CROWN BOILER	BWC151	90.5	150.0
CROWN BOILER	BWC225	91.0	225.0
CROWN BOILER	PHNTM080	94.0	80.0
CROWN BOILER	PHNTM100	93.3	100.0
CROWN BOILER	PHNTM120	94.0	120.0
CROWN BOILER	PHNTM150	95.0	150.0
CROWN BOILER	PHNTM180	94.0	180.0
CROWN BOILER	PHNTM210	95.0	210.0
CROWN BOILER	PHNTM285	95.0	285.0
DE DIETRICH	MCA PRO 45	92.4	156.0
DE DIETRICH	MCA PRO 65	93.0	235.0
DUNKIRK BOILERS	DCB-125	95.0	125.0
DUNKIRK BOILERS	DCB-165	95.0	164.0
DUNKIRK BOILERS	DCC-150	95.0	125.0
DUNKIRK BOILERS	DCC-205	95.0	164.0
DUNKIRK BOILERS	DKVLT-050	95.0	50.0
DUNKIRK BOILERS	DKVLT-075	95.0	75.0
DUNKIRK BOILERS	DKVLT-100	95.0	100.0
DUNKIRK BOILERS	DKVLT-150	95.0	150.0
DUNKIRK BOILERS	DKVLT-200	95.0	200.0
DUNKIRK BOILERS	DKVLT-299	95.0	299.0
DUNKIRK BOILERS	DMG-240	95.0	241.0
DUNKIRK BOILERS	MAH-165	95.0	164.0
DUNKIRK BOILERS	Q90-100	90.0	100.0
DUNKIRK BOILERS	Q90-50	90.0	50.0
DUNKIRK BOILERS	Q90-75	90.0	75.0
DUNKIRK BOILERS	VX-050	95.0	50.0
DUNKIRK BOILERS	VX-075	95.0	75.0
DUNKIRK BOILERS	VX-100	95.0	100.0
DUNKIRK BOILERS	VX-150	95.0	150.0
DUNKIRK BOILERS	VX-200	95.0	200.0
ECR INTERNATIONAL	ECR-122	95.0	122.0
ECR INTERNATIONAL	ECR-147	95.0	122.0
ECR INTERNATIONAL	ECR-160	95.0	160.0
ECR INTERNATIONAL	ECR-200	95.0	160.0
ECR INTERNATIONAL	ECR-227	95.0	227.0
ECR INTERNATIONAL	ECR97A-075	95.0	75.0
ECR INTERNATIONAL	ECR97A-100	95.0	100.0
EMBASSY	OX-160-B	91.1	160.0
EMBASSY	OX-160C	91.1	160.0
GREEN MOUNTAIN	ECR-122	95.0	122.0
GREEN MOUNTAIN	GM90-100	90.0	100.0
GREEN MOUNTAIN	GM90-50	90.0	50.0
GREEN MOUNTAIN	GM90-75	90.0	75.0
GREEN MOUNTAIN	GMCB150	95.0	122.0
GREEN MOUNTAIN	GMCB200	95.0	160.0
GREEN MOUNTAIN	GMHB125	95.0	122.0
GREEN MOUNTAIN	GMHB160	95.0	160.0

Manufacturer	Model Name	AFUE (%)	Input (MBTUH)
GREEN MOUNTAIN	GMHB227	95.0	227.0
HTP	EFT-110	95.6	110.0
HTP	EFT-155	95.5	155.0
HTP	EFT-199	95.3	199.0
HTP	EFT-285	95.1	285.0
HTP	EFT-55	96.8	55.0
HTP	EFT-80	96.0	80.0
HTP	EFTC-140F	93.2	140.0
HTP	EFTC-140W	95.0	140.0
HTP	EFTC-199F	95.7	199.0
HTP	EFTC-199W	95.1	199.0
HTP	EP-110	96.4	110.0
HTP	EP-150	95.4	150.0
HTP	EP-220	95.2	220.0
HTP	EP-299	94.5	299.0
HTP	EP-80	96.4	80.0
HTP	UFT-100*	95.1	100.0
HTP	UFT-120*	95.6	120.0
HTP	UFT-140*	95.0	140.0
HTP	UFT-175*	95.9	175.0
HTP	UFT-199*	96.0	199.0
HTP	UFT-80*	95.4	80.0
HTP	UFTC-140*	96.0	140.0
HTP	UFTC-199*	95.1	199.0
IBC TECHNOLOGIES	DC 15-95	95.0	95.0
IBC TECHNOLOGIES	DC 15-96	96.0	96.0
IBC TECHNOLOGIES	DC 20-125	95.0	125.0
IBC TECHNOLOGIES	DC 23-84	94.0	84.0
IBC TECHNOLOGIES	DC 29-106	94.0	106.0
IBC TECHNOLOGIES	DC 33-124	94.0	124.0
IBC TECHNOLOGIES	DC 33-160	94.0	160.0
IBC TECHNOLOGIES	HC 13-50	95.0	51.0
IBC TECHNOLOGIES	HC 15-95	95.0	95.0
IBC TECHNOLOGIES	HC 15-96	96.0	96.0
IBC TECHNOLOGIES	HC 20-125	95.0	125.0
IBC TECHNOLOGIES	HC 23-84	94.0	84.0
IBC TECHNOLOGIES	HC 29-106	94.0	106.0
IBC TECHNOLOGIES	HC 33-124	94.0	124.0
IBC TECHNOLOGIES	HC 33-160	94.0	160.0
IBC TECHNOLOGIES	SFB 15-99	96.0	99.0
IBC TECHNOLOGIES	SFB 16-125	95.0	125.0
IBC TECHNOLOGIES	SFC 15-99	96.0	99.0
IBC TECHNOLOGIES	SFC 16-125	95.0	125.0
IBC TECHNOLOGIES	SL 10-85G3	96.0	85.0
IBC TECHNOLOGIES	SL 14-115G3	95.0	115.0
IBC TECHNOLOGIES	SL 20-115-G2	95.0	115.0
IBC TECHNOLOGIES	SL 20-160G3	95.0	160.0
IBC TECHNOLOGIES	SL 26-260G3	95.0	260.0
IBC TECHNOLOGIES	SL 28-160	95.0	160.0
IBC TECHNOLOGIES	SL 30-175	95.0	175.0
IBC TECHNOLOGIES	SL 30-199G3	95.0	199.0

Manufacturer	Model Name	AFUE (%)	Input (MBTUH)
IBC TECHNOLOGIES	SL 35-199	95.0	199.0
IBC TECHNOLOGIES	SL 45-260	95.0	260.0
IBC TECHNOLOGIES	VFC 15-150	95.0	150.0
IBC TECHNOLOGIES	VFC 45-225	95.0	225.0
INTERGAS	HSE-125-N	92.2	124.0
INTERGAS	HSE-125-P	92.2	124.0
INTERGAS	HSE-145-N	92.0	145.0
INTERGAS	HSE-145-P	92.0	145.0
KENMORE	DCB	95.0	164.0
KENMORE	DCB-125	95.0	125.0
KENMORE	DCB-165	95.0	164.0
KENMORE	DCC-150	95.0	125.0
KENMORE	DCC-205	95.0	164.0
KENMORE	DKVLT-050	95.0	50.0
KENMORE	DKVLT-075	95.0	75.0
KENMORE	DKVLT-100	95.0	100.0
KENMORE	DKVLT-150	95.0	150.0
KENMORE	DKVLT-200	95.0	200.0
KENMORE	DKVLT-299	95.0	299.0
KENMORE	Q90-100	90.0	100.0
KENMORE	Q90-50	90.0	50.0
KENMORE	Q90-75	90.0	75.0
LAARS	LMC125	95.0	125.0
LAARS	LMH125	95.0	125.0
LAARS	MFTCF199(N,P)****	95.0	199.0
LAARS	MFTC(F,W)140(N,P)****	95.0	140.0
LAARS	MFTCW120****	95.0	120.0
LAARS	MFTCW199(N,P)****	95.0	199.0
LAARS	MFTHW080(N,P)****	95.0	80.0
LAARS	MFTHW100(N,P)****	95.0	100.0
LAARS	MFTHW120(N,P)****	95.0	120.0
LAARS	MFTHW140(N,P)****	95.0	140.0
LAARS	MFTHW199(N,P)****	95.0	199.0
LAARS	MLXCW125(N,P)****	95.0	125.0
LAARS	MLXCW150(N,P)****	95.0	150.0
LAARS	MLXCW175(N,P)****	95.0	175.0
LAARS	MLXHW050(N,P)****	95.0	50.0
LAARS	MLXHW075(N,P)****	95.0	75.0
LAARS	MLXHW100(N,P)****	95.0	100.0
LAARS	MLXHW125(N,P)****	95.0	125.0
LAARS	MLXHW150(N,P)****	95.0	150.0
LAARS	MLXHW175(N,P)****	95.0	175.0
LAARS	MLXHW220(N,P)****	95.0	220.0
LAARS	NTH080	95.0	80.0
LAARS	NTH105	95.0	105.0
LAARS	NTH150	95.0	150.0
LAARS	NTH210	95.0	210.0
LAARS	NTH285	95.0	285.0
LENNOX	GWB9-050IH-*	90.0	50.0
LENNOX	GWB9-075IH-*	90.0	75.0
LENNOX	GWB9-100IH-*	90.0	100.0

Manufacturer	Model Name	AFUE (%)	Input (MBTUH)
LENNOX	GWM-050IE	95.0	50.0
LENNOX	GWM-075IE	95.0	75.0
LENNOX	GWM-100IE	95.0	100.0
LENNOX	GWM-150IE	95.0	150.0
LENNOX	GWM-200IE	95.0	200.0
LOCHINVAR	EPB080(N,L)	95.0	80.0
LOCHINVAR	EPB110(N,L)	95.0	110.0
LOCHINVAR	EPB110(N,L)-CAN	95.0	99.0
LOCHINVAR	EPB150(N,L)	95.0	150.0
LOCHINVAR	EPB199(N,L)	95.0	199.0
LOCHINVAR	EPC110(N,L)	95.0	110.0
LOCHINVAR	EPC150(N,L)	95.0	150.0
LOCHINVAR	EPC199(N,L)	95.0	199.0
LOCHINVAR	KHB055(N,L)	95.0	55.0
LOCHINVAR	KHB085(N,L)	95.0	85.0
LOCHINVAR	KHB110(N,L)	95.0	110.0
LOCHINVAR	KHB155(N,L)	95.0	155.0
LOCHINVAR	KHB199(N,L)	95.0	199.0
LOCHINVAR	KHB285(N,L)	95.0	285.0
LOCHINVAR	KH(N,L)055	95.0	55.0
LOCHINVAR	KH(N,L)085	95.0	85.0
LOCHINVAR	KH(N,L)110	95.0	110.0
LOCHINVAR	KH(N,L)155	95.0	155.0
LOCHINVAR	KH(N,L)199	95.0	199.0
LOCHINVAR	KH(N,L)285	95.0	285.0
LOCHINVAR	NKB080(N,L)	95.0	80.0
LOCHINVAR	NKB110(N,L)	95.0	110.0
LOCHINVAR	NKB150(N,L)	95.0	150.0
LOCHINVAR	NKC110(N,L)	95.0	110.0
LOCHINVAR	NKC150(N,L)	95.0	150.0
LOCHINVAR	NKC199(N,L)	95.0	199.0
LOCHINVAR	WHB055(N,L)	95.0	55.0
LOCHINVAR	WHB085(N,L)	95.0	85.0
LOCHINVAR	WHB110(N,L)	95.0	110.0
LOCHINVAR	WHB155(N,L)	95.0	155.0
LOCHINVAR	WHB199(N,L)	95.0	200.0
LOCHINVAR	WHB285(N,L)	95.0	285.0
LOCHINVAR	WH(N,L)056	95.0	55.0
LOCHINVAR	WH(N,L)086	95.0	85.0
LOCHINVAR	WH(N,L)111	95.0	110.0
LOCHINVAR	WH(N,L)156	95.0	155.0
LOCHINVAR	WH(N,L)200	95.0	199.0
LOCHINVAR	WH(N,L)286	95.0	285.0
NAVIEN	NCB-150E	95.0	60.0
NAVIEN	NCB-180E	95.0	80.0
NAVIEN	NCB-210E	95.0	100.0
NAVIEN	NCB-240E	95.0	120.0
NAVIEN	NFB-175	95.0	175.0
NAVIEN	NFB-200	95.0	199.9
NAVIEN	NFC-175	95.0	175.0
NAVIEN	NFC-200	95.0	199.9

Manufacturer	Model Name	AFUE (%)	Input (MBTUH)
NAVIEN	NHB-055	95.0	55.0
NAVIEN	NHB-080	95.0	80.0
NAVIEN	NHB-110	95.0	110.0
NAVIEN	NHB-150	95.0	150.0
NEW YORKER	GHE100	93.3	100.0
NEW YORKER	GHE100B	95.0	100.0
NEW YORKER	GHE100HB	95.0	100.0
NEW YORKER	GHE120	94.0	120.0
NEW YORKER	GHE120B	95.0	120.0
NEW YORKER	GHE120HB	95.0	120.0
NEW YORKER	GHE135CB	95.0	120.0
NEW YORKER	GHE150	95.0	150.0
NEW YORKER	GHE150B	95.0	150.0
NEW YORKER	GHE150CB	95.0	150.0
NEW YORKER	GHE150HB	95.0	150.0
NEW YORKER	GHE180	94.0	180.0
NEW YORKER	GHE180B	95.0	180.0
NEW YORKER	GHE180CB	95.0	180.0
NEW YORKER	GHE180HB	95.0	180.0
NEW YORKER	GHE180M	94.5	180.0
NEW YORKER	GHE80	94.0	80.0
NEW YORKER	GHE80B	95.0	80.0
NEW YORKER	GHE80HB	95.0	80.0
NORITZ	CB180-DV	95.1	100.0
NORITZ	CB199-DV	95.1	120.0
NORITZ	NRCB180DV (GHQ-C2801WX-FF US)	95.0	100.0
NORITZ	NRCB199DV (GHQ-C3201WX-FF US)	95.0	120.0
NTI	FTV110	95.0	110.0
NTI	FTV110C	95.0	110.0
NTI	FTV150	95.0	150.0
NTI	FTV150C	95.0	150.0
NTI	FTV190	95.0	190.0
NTI	FTV190C	95.0	190.0
NTI	LX150	93.5	150.0
NTI	LX200	93.5	199.0
NTI	LX300	93.7	275.0
NTI	TFT110	95.0	108.0
NTI	TFT154	95.0	154.0
NTI	TFT155	95.0	155.0
NTI	TFT175	95.0	175.0
NTI	TFT200	95.0	200.0
NTI	TFT201	95.0	200.0
NTI	TFT250	95.0	250.0
NTI	TFT285	95.0	285.0
NTI	TFT300	94.0	299.0
NTI	TFT60	95.0	60.0
NTI	TFT85	95.0	85.0
NTI	TI100	93.5	93.0
NTI	TI150	93.5	150.0

Manufacturer	Model Name	AFUE (%)	Input (MBTUH)
NTI	TI200	93.5	199.0
NTI	TRX085	96.0	85.0
NTI	TRX110C	95.5	106.0
NTI	TRX120	95.0	120.0
NTI	TRX150C	95.0	120.0
NTI	TS80	93.4	80.0
NTI	TX101	94.0	101.0
NTI	TX151	94.0	151.0
NTI	TX151C	95.0	80.0
NTI	TX200	94.0	199.0
NTI	TX200C	95.0	120.0
NTI	TX51	94.0	57.0
NTI	TX81	94.0	82.0
NTI	VM110	95.0	110.0
NTI	VM110P	95.0	110.0
NTI	VM153	95.0	154.0
NTI	VM153P	95.0	154.0
OLSEN	OLSSC-050	95.0	50.0
OLSEN	OLSSC-075	95.0	75.0
OLSEN	OLSSC-100	95.0	100.0
OLSEN	OLSSC-150	95.0	150.0
OLSEN	OLSSC-200	95.0	200.0
OLSEN	OLSSC-299	95.0	299.0
OLSEN	OLSSV-050	95.0	50.0
OLSEN	OLSSV-075	95.0	75.0
OLSEN	OLSSV-100	95.0	100.0
OLSEN	OLSSV-150	95.0	150.0
OLSEN	OLSSV-200	95.0	200.0
OLSEN	OQ90-100	90.0	100.0
OLSEN	OQ90-50	90.0	50.0
OLSEN	OQ90-75	90.0	75.0
PB HEAT	CAST 92.2	90.0	200.0
PEERLESS	PBC-34	95.0	80.0
PEERLESS	PBC-40	95.1	100.0
PEERLESS	PBC-52	95.3	120.0
PEERLESS	PC-160C	91.1	160.0
PEERLESS	PF-110	95.0	110.0
PEERLESS	PF-140	95.0	140.0
PEERLESS	PF-200-LP	95.0	199.0
PEERLESS	PF-200-NAT	95.0	199.0
PEERLESS	PF-210 LP	95.1	210.0
PEERLESS	PF-210 NAT	95.1	210.0
PEERLESS	PF-50	95.0	50.0
PEERLESS	PF-80	95.0	80.0
PEERLESS	PFW-200-LP	95.0	199.0
PEERLESS	PFW-200-NAT	95.0	199.0
PEERLESS	PFW-210-LP	95.1	210.0
PEERLESS	PFW-210-NAT	95.1	210.0
PENNCO BOILERS	P90-100	90.0	100.0
PENNCO BOILERS	P90-50	90.0	50.0
PENNCO BOILERS	P90-75	90.0	75.0

Manufacturer	Model Name	AFUE (%)	Input (MBTUH)
PENSOTTI	PCC34-H	91.0	116.0
PENSOTTI	PCH18/B-H	91.0	80.0
PENSOTTI	PCH34/B-H	91.0	116.0
PENSOTTI	PCH50/B-H	91.2	171.0
PENSOTTI	PCI18/8-H	91.0	80.0
PENSOTTI	PCI34/20-H	91.0	116.0
RAYPAK	H7-088AR	95.0	85.0
RAYPAK	H7-108AR*	95.0	110.0
RAYPAK	H7-198AR*	95.0	199.0
RAYPAK	H7-278AR*	94.8	275.0
RAYPAK	XPAK 120	90.5	120.0
RAYPAK	XPAK 85	90.3	87.0
RBI WATER HEATERS	IB199	91.8	200.0
RIELLO	CONDEXA PRO NA 75 P	95.0	255.9
RIELLO	FAMILY PRO 42 IS	95.0	119.0
RIELLO	FAMILY PRO 42 KIS	95.0	119.0
RIELLO	RESIDENCE PRO 32 KIS	95.0	85.0
RIELLO	STEEL PRO 25	96.0	85.3
RIELLO	STEEL PRO 35	96.0	119.4
RIELLO	STEEL PRO 45	96.0	160.4
RIELLO	STEEL PRO 75	96.0	255.9
RINNAI	E110C	95.5	110.0
RINNAI	E110CR	95.5	110.0
RINNAI	E110SR	95.5	110.0
RINNAI	E50C	95.6	50.0
RINNAI	E50CR	95.6	50.0
RINNAI	E60SR	95.5	60.0
RINNAI	E75C	95.5	75.0
RINNAI	E75CR	95.5	75.0
RINNAI	E85SR	95.4	85.0
RINNAI	M060C	95.0	60.0
RINNAI	M060S	95.0	60.0
RINNAI	M090C	95.0	90.0
RINNAI	M090S	95.0	90.0
RINNAI	M120C	95.0	120.0
RINNAI	M120S	95.0	120.0
RINNAI	M160C	95.0	160.0
RINNAI	M160S	95.0	160.0
RINNAI	Q130S	95.4	130.0
RINNAI	Q175C	95.0	175.0
RINNAI	Q175S	95.0	175.0
RINNAI	Q205S	95.0	205.0
RINNAI	Q85S	95.4	85.0
SLANT/FIN	CHS-110	95.0	108.0
SLANT/FIN	CHS-154	95.0	154.0
SLANT/FIN	CHS-155	95.0	155.0
SLANT/FIN	CHS-175	95.0	175.0
SLANT/FIN	CHS-200	95.0	200.0
SLANT/FIN	CHS-250	95.0	250.0
SLANT/FIN	CHS-285	95.0	285.0
SLANT/FIN	CHS-300	94.0	299.0

Manufacturer	Model Name	AFUE (%)	Input (MBTUH)
SLANT/FIN	CHS-85	95.0	85.0
SLANT/FIN	LX-120	92.5	120.0
SLANT/FIN	LX-120CB	92.5	120.0
SLANT/FIN	LX-150	92.5	150.0
SLANT/FIN	LX-150CB	92.5	150.0
SLANT/FIN	VSL-160B	91.5	160.0
SLANT/FIN	VSL-160C	91.5	160.0
SLANT/FIN	VSL II 150	92.0	150.0
SLANT/FIN	VSL II 200	92.0	200.0
SLANT/FIN	VSL II 250	92.0	250.0
SLANT/FIN	VSL II 90	92.0	90.0
SMITH CAST IRON BOILERS	GC-160-B	91.1	160.0
SMITH CAST IRON BOILERS	GC-160C	91.1	160.0
SPACEPAK	SS-160C	91.1	160.0
STATE	SCB-110(S,H)-(N,P)	95.0	110.0
STATE	SCB-150(S,H)-(N,P)	95.0	150.0
STATE	SCB-199(S,H)-(N,P)	95.0	199.0
SUPER HOT	HSE-125-N	92.2	124.0
SUPER HOT	HSE-125-P	92.2	124.0
SUPER HOT	HSE-145-N	92.0	145.0
SUPER HOT	HSE-145-P	92.0	145.0
TRIANGLE TUBE	CC105	94.0	106.0
TRIANGLE TUBE	CC105s	94.0	106.0
TRIANGLE TUBE	CC125	94.0	124.0
TRIANGLE TUBE	CC125H	95.0	125.0
TRIANGLE TUBE	CC125HS	95.0	125.0
TRIANGLE TUBE	CC125s	94.0	124.0
TRIANGLE TUBE	CC150S	92.3	145.0
TRIANGLE TUBE	CC50S	95.0	51.0
TRIANGLE TUBE	CC85 S	94.0	84.0
TRIANGLE TUBE	EXCELLENCE 110	95.0	110.0
TRIANGLE TUBE	SOLO 110	95.0	110.0
TRIANGLE TUBE	SOLO 155	95.0	153.0
TRIANGLE TUBE	SOLO 175	95.0	170.0
TRIANGLE TUBE	SOLO 250	95.0	240.0
TRIANGLE TUBE	SOLO 299	95.0	299.0
TRIANGLE TUBE	SOLO 80	95.0	80.0
UTICA BOILERS	MAC-150	95.0	125.0
UTICA BOILERS	MAC-205	95.0	164.0
UTICA BOILERS	MAH-125	95.0	125.0
UTICA BOILERS	MAH-165	95.0	164.0
UTICA BOILERS	SSV-050	95.0	50.0
UTICA BOILERS	SSV-075	95.0	75.0
UTICA BOILERS	SSV-100	95.0	100.0
UTICA BOILERS	SSV-150	95.0	150.0
UTICA BOILERS	SSV-200	95.0	200.0
UTICA BOILERS	UB90-100	90.0	100.0
UTICA BOILERS	UB90-50	90.0	50.0
UTICA BOILERS	UB90-75	90.0	75.0
UTICA BOILERS	UBSSC-050	95.0	50.0
UTICA BOILERS	UBSSC-075	95.0	75.0

Manufacturer	Model Name	AFUE (%)	Input (MBTUH)
UTICA BOILERS	UBSSC-100	95.0	100.0
UTICA BOILERS	UBSSC-150	95.0	150.0
UTICA BOILERS	UBSSC-200	95.0	200.0
UTICA BOILERS	UBSSC-299	95.0	299.0
UTICA BOILERS	UCS-240	95.0	241.0
VELOCITY BOILER WORKS	PHNTM080	94.0	80.0
VELOCITY BOILER WORKS	PHNTM080B	95.0	80.0
VELOCITY BOILER WORKS	PHNTM100	93.3	100.0
VELOCITY BOILER WORKS	PHNTM100B	95.0	100.0
VELOCITY BOILER WORKS	PHNTM120	94.0	120.0
VELOCITY BOILER WORKS	PHNTM120B	95.0	120.0
VELOCITY BOILER WORKS	PHNTM135CB	95.0	120.0
VELOCITY BOILER WORKS	PHNTM150	95.0	150.0
VELOCITY BOILER WORKS	PHNTM150B	95.0	150.0
VELOCITY BOILER WORKS	PHNTM150CB	95.0	150.0
VELOCITY BOILER WORKS	PHNTM180	94.0	180.0
VELOCITY BOILER WORKS	PHNTM180B	95.0	180.0
VELOCITY BOILER WORKS	PHNTM180CB	95.0	180.0
VELOCITY BOILER WORKS	PHNTM180M	94.5	180.0
VELOCITY BOILER WORKS	PHNTM210	95.0	210.0
VELOCITY BOILER WORKS	PHNTM285	95.0	285.0
VELOCITY BOILER WORKS	RPTR085	95.0	85.0
VELOCITY BOILER WORKS	RPTR085HB	96.0	85.0
VELOCITY BOILER WORKS	RPTR110	95.0	110.0
VELOCITY BOILER WORKS	RPTR110HB	96.0	110.0
VELOCITY BOILER WORKS	RPTR155	95.0	155.0
VELOCITY BOILER WORKS	RPTR155C	95.0	155.0
VELOCITY BOILER WORKS	RPTR155CB	95.0	155.0
VELOCITY BOILER WORKS	RPTR155HB	95.0	155.0
VELOCITY BOILER WORKS	RPTR205	95.0	205.0
VELOCITY BOILER WORKS	RPTR205HB	95.0	205.0
VELOCITY BOILER WORKS	RPTR270	95.0	270.0
VELOCITY BOILER WORKS	RPTR270HB	95.0	270.0
VELOCITY BOILER WORKS	SHADW080	94.0	80.0
VELOCITY BOILER WORKS	SHADW080B	95.0	80.0
VELOCITY BOILER WORKS	SHADW100	93.3	100.0
VELOCITY BOILER WORKS	SHADW100B	95.0	100.0
VELOCITY BOILER WORKS	SHADW120	94.0	120.0
VELOCITY BOILER WORKS	SHADW120B	95.0	120.0
VELOCITY BOILER WORKS	SHADW150	95.0	150.0
VELOCITY BOILER WORKS	SHADW150B	95.0	150.0
VELOCITY BOILER WORKS	SHADW180	94.0	180.0
VELOCITY BOILER WORKS	SHADW180B	95.0	180.0
VELOCITY BOILER WORKS	SHADW180M	94.5	180.0
VESTA. DS, Inc.	VRB-110	95.0	110.0
VESTA. DS, Inc.	VRB-130	95.0	130.0
VESTA. DS, Inc.	VRB-80	95.0	80.0
VESTA. DS, Inc.	VRC-100	95.0	100.0
VESTA. DS, Inc.	VRC-120	95.0	120.0
VESTA. DS, Inc.	VRC-140	95.0	140.0
VESTA. DS, Inc.	VRC-80	95.0	80.0

Manufacturer	Model Name	AFUE (%)	Input (MBTUH)
VISSMANN	B1HA-125	95.0	125.0
VISSMANN	B1HA 26	95.0	94.0
VISSMANN	B1HA 35	95.0	125.0
VISSMANN	B1HA-94	95.0	94.0
VISSMANN	B1KA-125	95.0	125.0
VISSMANN	B1KA 35	95.0	125.0
VISSMANN	B2HA-285	92.0	285.0
VISSMANN	B2HA-80	92.0	285.0
VISSMANN	B2HB-125	95.0	125.0
VISSMANN	B2HB-160	95.0	160.0
VISSMANN	B2HB-19	95.0	68.0
VISSMANN	B2HB-199	95.0	199.0
VISSMANN	B2HB-26	95.0	94.0
VISSMANN	B2HB-35	95.0	125.0
VISSMANN	B2HB-45	95.0	160.0
VISSMANN	B2HB-57	95.0	199.0
VISSMANN	B2HB-68	95.0	68.0
VISSMANN	B2HB-94	95.0	94.0
VISSMANN	B2TB-125	95.0	125.0
VISSMANN	B2TB-19	95.0	68.0
VISSMANN	B2TB-35	95.0	125.0
VISSMANN	B2TB-68	95.0	68.0
VISSMANN	CU3A-125	95.0	125.0
VISSMANN	CU3A-160	95.0	160.0
VISSMANN	CU3A-199	95.0	199.0
VISSMANN	CU3A-26	95.0	94.0
VISSMANN	CU3A-35	95.0	125.0
VISSMANN	CU3A-45	95.0	160.0
VISSMANN	CU3A-57	95.0	199.0
VISSMANN	CU3A-94	95.0	94.0
VISSMANN	WB1B-26	94.0	91.0
VISSMANN	WB1B-35	94.0	118.0
WEIL-MCLAIN	AB-120*	95.0	120.0
WEIL-MCLAIN	AB-155*	95.0	155.0
WEIL-MCLAIN	AB-80*	95.0	80.0
WEIL-MCLAIN	ECO 110	95.0	110.0
WEIL-MCLAIN	ECO 155	95.1	155.0
WEIL-MCLAIN	ECO 70	95.2	70.0
WEIL-MCLAIN	EVG 110	95.0	110.0
WEIL-MCLAIN	EVG 155	95.1	155.0
WEIL-MCLAIN	EVG 220	95.0	220.0
WEIL-MCLAIN	EVG 299	95.0	299.0
WEIL-MCLAIN	EVG 70	95.2	70.0
WEIL-MCLAIN	GV90+3	91.9	70.0
WEIL-MCLAIN	GV90+4	91.2	105.0
WEIL-MCLAIN	GV90+5	91.4	140.0
WEIL-MCLAIN	GV90+6	91.0	175.0
WEIL-MCLAIN	ULTRA 105-CT	94.0	105.0
WEIL-MCLAIN	ULTRA 155-CT	94.0	155.0
WEIL-MCLAIN	ULTRA 230-CT	94.1	230.0
WEIL-MCLAIN	ULTRA 299-CT	92.5	299.0

Manufacturer	Model Name	AFUE (%)	Input (MBTUH)
WEIL-MCLAIN	ULTRA 80-CT	93.5	80.0
WEIL-MCLAIN	WM97+ 110-CT	95.0	110.0
WEIL-MCLAIN	WM97+ 155-CT	95.1	155.0
WEIL-MCLAIN	WM97+ 70-CT	95.2	70.0
WEIL-MCLAIN	WMB-120-*	92.2	120.0
WEIL-MCLAIN	WMB-155-*	94.4	155.0
WEIL-MCLAIN	WMB-80-*	92.4	80.0
WESTINGHOUSE	WBRCLP140F	93.2	140.0
WESTINGHOUSE	WBRCLP140W	96.0	140.0
WESTINGHOUSE	WBRCLP199F	95.1	199.0
WESTINGHOUSE	WBRCLP199W	95.1	199.0
WESTINGHOUSE	WBRCNG140F	93.2	140.0
WESTINGHOUSE	WBRCNG140W	96.0	140.0
WESTINGHOUSE	WBRCNG199F	95.1	199.0
WESTINGHOUSE	WBRCNG199W	95.1	199.0
WESTINGHOUSE	WBRE**080	96.4	80.0
WESTINGHOUSE	WBRE**110	96.4	110.0
WESTINGHOUSE	WBRE**150	95.4	150.0
WESTINGHOUSE	WBRE**220	95.2	220.0
WESTINGHOUSE	WBRE**299	94.5	299.0
WESTINGHOUSE	WBRLP055	96.3	55.0
WESTINGHOUSE	WBRLP080	96.0	80.0
WESTINGHOUSE	WBRLP110	95.6	110.0
WESTINGHOUSE	WBRLP155	95.1	155.0
WESTINGHOUSE	WBRLP199	95.3	199.0
WESTINGHOUSE	WBRLP285	95.0	285.0
WESTINGHOUSE	WBRNG055	96.3	55.0
WESTINGHOUSE	WBRNG080	96.0	80.0
WESTINGHOUSE	WBRNG110	95.6	110.0
WESTINGHOUSE	WBRNG155	95.1	155.0
WESTINGHOUSE	WBRNG199	95.3	199.0
WESTINGHOUSE	WBRNG285	95.0	285.0
WESTINGHOUSE	WBRU**080*	95.4	80.0
WESTINGHOUSE	WBRU**100*	95.1	100.0
WESTINGHOUSE	WBRU**120*	95.6	120.0
WESTINGHOUSE	WBRU**140*	95.0	140.0
WESTINGHOUSE	WBRU**175*	95.9	175.0
WESTINGHOUSE	WBRU**199*	96.0	199.0
WESTINGHOUSE	WBRUC**140*	96.0	140.0
WESTINGHOUSE	WBRUC**199*	95.1	199.0
WILLIAMSON-THERMOFLO	FS-120-*	95.0	120.0
WILLIAMSON-THERMOFLO	FS-120-N-C	92.2	120.0
WILLIAMSON-THERMOFLO	FS-120-N-H	92.2	120.0
WILLIAMSON-THERMOFLO	FS-155-*	95.0	155.0
WILLIAMSON-THERMOFLO	FS-155-N-*	94.4	155.0
WILLIAMSON-THERMOFLO	FS-80-*	95.0	80.0
WILLIAMSON-THERMOFLO	FS-80-N-C	92.4	80.0
WILLIAMSON-THERMOFLO	FS-80-N-H	92.4	80.0
WILLIAMSON-THERMOFLO	GWC-070-N-T	91.9	70.0
WILLIAMSON-THERMOFLO	GWC-105-N-T	91.2	105.0
WILLIAMSON-THERMOFLO	GWC-140-N-T	91.4	140.0

Manufacturer	Model Name	AFUE (%)	Input (MBTUH)
WILLIAMSON-THERMOFLO	GWC-175-N-T	91.0	175.0