



## Natural gas storage water heaters: thermal efficiency $\geq 88\%$

*Rebates for your business*

Download the rebate application at [nicorgasrebates.com/apply](http://nicorgasrebates.com/apply) for eligibility requirements and program terms and conditions.

energySMART offerings and availability of funding are subject to change. To ensure eligibility, please use the most current qualifying products list available at <http://nicorgasrebates.com/your-business/rebates-for-your-business>

energySMART, a Nicor Gas program, is a multi-year program funded by Nicor Gas customers in compliance with Illinois law.

Manufacturer	Model Name	Thermal Efficiency (%)	Input Rate
ADVANTAGE PLUS	HE119-130	96	130.0
ADVANTAGE PLUS	HE119-160	96	160.0
ADVANTAGE PLUS	HE119-199	96	199.0
ADVANTAGE PLUS	HE55-130	94	130.0
ADVANTAGE PLUS	HE55-160	95	160.0
ADVANTAGE PLUS	HE55-199	95	199.0
ADVANTAGE PLUS	HE80-130	95	130.0
ADVANTAGE PLUS	HE80-160	96	160.0
ADVANTAGE PLUS	HE80-199	95	199.0
AMERICAN	AHCG3-100T150-3N 300	96	150.0
AMERICAN	AHCG3-100T150-3P 301	98	150.0
AMERICAN	AHCG3-100T199-3N 300	97	199.9
AMERICAN	AHCG3-100T199-3P 301	97	199.9
AMERICAN	AHCG3-100T250-3N 300	96	250.0
AMERICAN	AHCG3-100T250-3P 301	96	250.0
AMERICAN	AHCG3-119T300-3N 200	96	300.0
AMERICAN	AHCG3-119T300-3N 300	96	300.0
AMERICAN	AHCG3-119T300-3P 301	96	300.0
AMERICAN	AHCG3-119T400-3N 300	95	399.9
AMERICAN	AHCG3-119T400-3P 301	95	399.9
AMERICAN	AHCG3-60T120-300	95	120.0
AMERICAN	AHCG3-60T120-3P 301	95	120.0
AMERICAN	HCG3-100T150-3N 300	96	150.0

Manufacturer	Model Name	Thermal Efficiency (%)	Input Rate
AMERICAN	HCG3-100T150-3P 301	98	150.0
AMERICAN	HCG3-100T199-3N 300	97	199.9
AMERICAN	HCG3-100T199-3P 301	97	199.9
AMERICAN	HCG3-100T250-3N 300	96	250.0
AMERICAN	HCG3-100T250-3P 301	96	250.0
AMERICAN	HCG3-119T300-3N 200	96	300.0
AMERICAN	HCG3-119T300-3N 300	96	300.0
AMERICAN	HCG3-119T300-3P 301	96	300.0
AMERICAN	HCG3-119T400-3N 300	95	399.9
AMERICAN	HCG3-119T400-3P 301	95	399.9
AMERICAN	HCG3-60T120-300	95	120.0
AMERICAN	HCG3-60T120-3P 301	95	120.0
AMERICAN	MTX-199-N-100	96	199.0
AMERICAN	MTX-199-P-101	96	199.0
AMERICAN	PC 34 130 N 200	96	130.0
AMERICAN	PC 34 130 P 201	96	130.0
AMERICAN	PC 50 130 N 200	95	130.0
AMERICAN	PC 50 130 P 201	95	130.0
AMERICAN	PC 50 150 N 200	95	150.0
AMERICAN	PC 50 150 P 201	95	150.0
AMERICAN	PC 50 175 N 200	96	175.0
AMERICAN	PC 50 175 P 201	96	175.0
AMERICAN	PC 50 199 N 200	96	199.0
AMERICAN	PC 50 199 P 201	96	199.0
AMERICAN	PG10 34-130-2NV	96	130.0
AMERICAN	PG10 34 130 2NV 200	96	130.0
AMERICAN	PG10 34 130 2PV 201	96	130.0
AMERICAN	PG10 50 130 2NV 200	95	130.0
AMERICAN	PG10 50 130 2PV 201	95	130.0
AMERICAN	PG10 50 150 2NV 200	95	150.0
AMERICAN	PG10 50 150 2PV 201	95	150.0
AMERICAN	PG10 50 175 3NV 200	96	175.0
AMERICAN	PG10 50 175 3PV 201	96	175.0
AMERICAN	PG10 50 199 3NV 200	96	199.0
AMERICAN	PG10 50 199 3PV 201	96	199.0
AMERICAN	PGC3 34-130-2NV	96	130.0
AMERICAN	PGC3 34 130 2NV 200	96	130.0
AMERICAN	PGC3 34 130 2PV 201	96	130.0
AMERICAN	PGC3 50 130 2NV 200	95	130.0
AMERICAN	PGC3 50 130 2PV 201	95	130.0
AMERICAN	PGC3 50 150 2NV 200	95	150.0
AMERICAN	PGC3 50 150 2PV 201	95	150.0
AMERICAN	PGC3 50 175 3NV 200	96	175.0
AMERICAN	PGC3 50 175 3PV 201	96	175.0
AMERICAN	PGC3 50 199 3NV 200	96	199.0
AMERICAN	PGC3 50 199 3PV 201	96	199.0
AMERICAN	PR 34 130 N 200	96	130.0
AMERICAN	PR 34 130 P 201	96	130.0
AMERICAN	PR 50 130 N 200	95	130.0
AMERICAN	PR 50 130 P 201	95	130.0

Manufacturer	Model Name	Thermal Efficiency (%)	Input Rate
AMERICAN	PR 50 150 N 200	95	150.0
AMERICAN	PR 50 150 P 201	95	150.0
AMERICAN	PR 50 175 N 200	96	175.0
AMERICAN	PR 50 175 P 201	96	175.0
AMERICAN	PR 50 199 N 200	96	199.0
AMERICAN	PR 50 199 P 201	96	199.0
A. O. SMITH	ATX-199-N-100	96	199.0
A. O. SMITH	ATX-199-P-101	96	199.0
A. O. SMITH	BSS 130 200	96	130.0
A. O. SMITH	BSS 130 201	96	130.0
A. O. SMITH	BTH 120 300	95	120.0
A. O. SMITH	BTH 120 301	95	120.0
A. O. SMITH	BTH 120A 300	95	120.0
A. O. SMITH	BTH 120A 301	95	120.0
A. O. SMITH	BTH 150 200	98	150.0
A. O. SMITH	BTH 150 300	96	150.0
A. O. SMITH	BTH 150 301	98	150.0
A. O. SMITH	BTH 150A 300	96	150.0
A. O. SMITH	BTH 150A 301	98	150.0
A. O. SMITH	BTH 199 200	97	199.9
A. O. SMITH	BTH 199 300	97	199.9
A. O. SMITH	BTH 199 301	97	199.9
A. O. SMITH	BTH 199A 300	97	199.9
A. O. SMITH	BTH 199A 301	97	199.9
A. O. SMITH	BTH 250 300	96	250.0
A. O. SMITH	BTH 250 301	96	250.0
A. O. SMITH	BTH 250A 300	96	250.0
A. O. SMITH	BTH 250A 301	96	250.0
A. O. SMITH	BTH 300 200	96	300.0
A. O. SMITH	BTH 300 300	96	300.0
A. O. SMITH	BTH 300 301	96	300.0
A. O. SMITH	BTH 300A 200	96	300.0
A. O. SMITH	BTH 300A 300	96	300.0
A. O. SMITH	BTH 300A 301	96	300.0
A. O. SMITH	BTH 400 300	95	399.9
A. O. SMITH	BTH 400 301	95	399.9
A. O. SMITH	BTH 400A 300	95	399.9
A. O. SMITH	BTH 400A 301	95	399.9
A. O. SMITH	BTS 130 200	95	130.0
A. O. SMITH	BTS 130 201	95	130.0
A. O. SMITH	BTS 150 200	95	150.0
A. O. SMITH	BTS 150 201	95	150.0
A. O. SMITH	BTS 175 200	96	175.0
A. O. SMITH	BTS 175 201	96	175.0
A. O. SMITH	BTS 199 200	96	199.0
A. O. SMITH	BTS 199 201	96	199.0
A. O. SMITH	BTX 100 *	96	100.0
A. O. SMITH	BTX 100 **	96	100.0
A. O. SMITH	BTX 80*	90	76.0
A. O. SMITH	BTX 80 120	94	76.0

Manufacturer	Model Name	Thermal Efficiency (%)	Input Rate
A. O. SMITH	BTXL 100*	96	100.0
A. O. SMITH	BTXL 100**	96	100.0
A. O. SMITH	GSP 130 200	96	130.0
A. O. SMITH	GSP 130 201	96	130.0
A. O. SMITH	GTP 130 200	95	130.0
A. O. SMITH	GTP 130 201	95	130.0
A. O. SMITH	GTP 150 200	95	150.0
A. O. SMITH	GTP 150 201	95	150.0
A. O. SMITH	GTP 175 200	96	175.0
A. O. SMITH	GTP 175 201	96	175.0
A. O. SMITH	GTP 199 200	96	199.0
A. O. SMITH	GTP 199 201	96	199.0
A. O. SMITH	GTP 50 201	95	150.0
BOCK	ODOT125*	96	125.0
BOCK	ODOT150*	96	150.0
BOCK	ODOT199*	96	199.0
BOCK	ODOT200*-A	95	199.9
BOCK	ODOT250*-A	94	250.0
BOCK	ODOT299*-A	93	299.9
BOCK	ODOT300*-A	95	300.0
BOCK	ODOT400*-A	94	399.9
BOCK	OT125*	96	125.0
BOCK	OT150*	96	150.0
BOCK	OT199*	96	199.0
BOCK	OT200*-A	95	199.9
BOCK	OT250*-A	94	250.0
BOCK	OT299*-A	93	299.9
BOCK	OT300*-A	95	300.0
BOCK	OT400*-A	94	399.9
BRADFORD WHITE	EF100T150E*N	99	150.0
BRADFORD WHITE	EF100T150*X	99	150.0
BRADFORD WHITE	EF100T199E*N	99	199.9
BRADFORD WHITE	EF100T199*X	99	199.9
BRADFORD WHITE	EF100T250E*N	97	250.0
BRADFORD WHITE	EF100T250*X	97	250.0
BRADFORD WHITE	EF100T300E*N*2	92	300.0
BRADFORD WHITE	EF100T300E*X*2	92	300.0
BRADFORD WHITE	EF100T399E*N2	94	399.0
BRADFORD WHITE	EF100T399*X2	94	399.0
BRADFORD WHITE	EF60T125E*N*2	96	125.0
BRADFORD WHITE	EF60T125E*X*2	96	125.0
BRADFORD WHITE	EF60T150E*N*2	93	150.0
BRADFORD WHITE	EF60T150E*X*2	93	150.0
BRADFORD WHITE	EF60T199E*N*2	92	199.9
BRADFORD WHITE	EF60T199E*X*2	92	199.9
GIANT	UGC120S-130	96	130.0
GIANT	UGC120S-160	96	160.0
GIANT	UGC120S-199	96	199.0
GIANT	UGC55S-130	94	130.0
GIANT	UGC55S-160	95	160.0

Manufacturer	Model Name	Thermal Efficiency (%)	Input Rate
GIANT	UGC55S-199	95	199.0
GIANT	UGC80S-130	95	130.0
GIANT	UGC80S-160	96	160.0
GIANT	UGC80S-199	95	199.0
HTP	PH130-119	96	130.0
HTP	PH130-55	94	130.0
HTP	PH130-80	95	130.0
HTP	PH160-119	96	160.0
HTP	PH160-55	95	160.0
HTP	PH160-80	96	160.0
HTP	PH199-119	96	199.0
HTP	PH199-55	95	199.0
HTP	PH199-80	95	199.0
HTP	PHE130-119	96	130.0
HTP	PHE130-55	94	130.0
HTP	PHE130-80	95	130.0
HTP	PHE199-119	96	199.0
HTP	PHE199-55	95	199.0
HTP	PHE199-80	95	199.0
HTP	PHM130-100	96	130.0
HTP	PHM130-80	96	130.0
HTP	PHM199-100	95	199.0
HTP	PHM199-80	96	199.0
HTP	PHP199-119*	95	199.0
HTP	PHP199-119D	95	199.0
HTP	PHP260-119*	94	260.0
HTP	PHP320-119*	94	320.0
HTP	PHP399-119*	95	399.0
HTP	PHR100-55	95	100.0
HTP	PHR130-55	94	130.0
HTP	PHR160-55	95	160.0
HTP	PHR199-55	95	199.0
JOHN WOOD	AJWSH119300 N 200	96	300.0
LOCHINVAR	S(N,L)A286-125	91	285.0
LOCHINVAR	S(N,L)A401-125	91	400.0
LOCHINVAR	S(N,L)R126-065	91	125.0
LOCHINVAR	S(N,L)(R,A)151-100	91	150.0
LOCHINVAR	S(N,L)(R,A)201-100	91	199.9
RELIANCE WATER HEATERS	HE 50 100 NE	96	100.0
RELIANCE WATER HEATERS	HE 50 100 PE	96	100.0
RELIANCE WATER HEATERS	HE 50 76 NE*	90	76.0
RELIANCE WATER HEATERS	HE 50 76 NE* 120	94	76.0
RELIANCE WATER HEATERS	HE 75100N E*	96	100.0
RELIANCE WATER HEATERS	HE 75100P E*	96	100.0
RELIANCE WATER HEATERS	RUF 100 199NE300	97	199.9
RELIANCE WATER HEATERS	RUF 100 199NEA 300	97	199.9
RELIANCE WATER HEATERS	RUF 100 199PE 301	97	199.9
RELIANCE WATER HEATERS	RUF 100 199PEA 301	97	199.9
RHEEM	GHE100SS-160	97	160.0
RHEEM	GHE100SS-160A	97	160.0

Manufacturer	Model Name	Thermal Efficiency (%)	Input Rate
RHEEM	GHE100SS-200	97	200.0
RHEEM	GHE100SS-200A	97	200.0
RHEEM	GHE100SS-250	96	250.0
RHEEM	GHE100SS-250A	96	250.0
RHEEM	GHE100SS-300	96	300.0
RHEEM	GHE100SS-300A	96	300.0
RHEEM	GHE100SS-400	95	399.9
RHEEM	GHE100SS-400A	95	399.9
RHEEM	GHE100SU-130	97	130.0
RHEEM	GHE100SU-160	97	160.0
RHEEM	GHE100SU-160A	97	160.0
RHEEM	GHE100SU-200	97	200.0
RHEEM	GHE100SU-200A	97	200.0
RHEEM	GHE100SU-250	96	250.0
RHEEM	GHE100SU-250A	96	250.0
RHEEM	GHE100SU-300	96	300.0
RHEEM	GHE100SU-300A	96	300.0
RHEEM	GHE100SU-400	95	399.9
RHEEM	GHE100SU-400A	95	399.9
RHEEM	GHE80SS-130	98	130.0
RHEEM	GHE80SS-130A	98	130.0
RHEEM	GHE80SS-160	97	160.0
RHEEM	GHE80SS-160A	97	160.0
RHEEM	GHE80SS-200	95	199.9
RHEEM	GHE80SS-200A	95	199.9
RHEEM	GHE80SS-300	95	300.0
RHEEM	GHE80SS-300A	95	300.0
RHEEM	GHE80SU-130	98	130.0
RHEEM	GHE80SU-130A	98	130.0
RHEEM	GHE80SU-160	97	160.0
RHEEM	GHE80SU-160A	97	160.0
RHEEM	GHE80SU-200	95	199.9
RHEEM	GHE80SU-200A	95	199.9
RHEEM	GHE80SU-300	95	300.0
RHEEM	GHE80SU-300A	95	300.0
RICHMOND	GHE100SS-160	97	160.0
RICHMOND	GHE100SS-160A	97	160.0
RICHMOND	GHE100SS-200	97	200.0
RICHMOND	GHE100SS-200A	97	200.0
RICHMOND	GHE100SS-250	96	250.0
RICHMOND	GHE100SS-250A	96	250.0
RICHMOND	GHE100SS-300	96	300.0
RICHMOND	GHE100SS-300A	96	300.0
RICHMOND	GHE100SS-400	95	399.9
RICHMOND	GHE100SS-400A	95	399.9
RICHMOND	GHE100SU-130	97	130.0
RICHMOND	GHE100SU-160	97	160.0
RICHMOND	GHE100SU-160A	97	160.0
RICHMOND	GHE100SU-200	97	200.0
RICHMOND	GHE100SU-200A	97	200.0

Manufacturer	Model Name	Thermal Efficiency (%)	Input Rate
RICHMOND	GHE100SU-250	96	250.0
RICHMOND	GHE100SU-250A	96	250.0
RICHMOND	GHE100SU-300	96	300.0
RICHMOND	GHE100SU-300A	96	300.0
RICHMOND	GHE100SU-400	95	399.9
RICHMOND	GHE100SU-400A	95	399.9
RICHMOND	GHE80SS-130	98	130.0
RICHMOND	GHE80SS-130A	98	130.0
RICHMOND	GHE80SS-160	97	160.0
RICHMOND	GHE80SS-160A	97	160.0
RICHMOND	GHE80SS-200	95	199.9
RICHMOND	GHE80SS-200A	95	199.9
RICHMOND	GHE80SS-300	95	300.0
RICHMOND	GHE80SS-300A	95	300.0
RICHMOND	GHE80SU-130	98	130.0
RICHMOND	GHE80SU-130A	98	130.0
RICHMOND	GHE80SU-160	97	160.0
RICHMOND	GHE80SU-160A	97	160.0
RICHMOND	GHE80SU-200	95	199.9
RICHMOND	GHE80SU-200A	95	199.9
RICHMOND	GHE80SU-300	95	300.0
RICHMOND	GHE80SU-300A	95	300.0
RUUD	GHE100SS-160	97	160.0
RUUD	GHE100SS-160A	97	160.0
RUUD	GHE100SS-200	97	200.0
RUUD	GHE100SS-200A	97	200.0
RUUD	GHE100SS-250	96	250.0
RUUD	GHE100SS-250A	96	250.0
RUUD	GHE100SS-300	96	300.0
RUUD	GHE100SS-300A	96	300.0
RUUD	GHE100SS-400	95	399.9
RUUD	GHE100SS-400A	95	399.9
RUUD	GHE100SU-130	97	130.0
RUUD	GHE100SU-160	97	160.0
RUUD	GHE100SU-160A	97	160.0
RUUD	GHE100SU-200	97	200.0
RUUD	GHE100SU-200A	97	200.0
RUUD	GHE100SU-250	96	250.0
RUUD	GHE100SU-250A	96	250.0
RUUD	GHE100SU-300	96	300.0
RUUD	GHE100SU-300A	96	300.0
RUUD	GHE100SU-400	95	399.9
RUUD	GHE100SU-400A	95	399.9
RUUD	GHE80SS-130	98	130.0
RUUD	GHE80SS-130A	98	130.0
RUUD	GHE80SS-160	97	160.0
RUUD	GHE80SS-160A	97	160.0
RUUD	GHE80SS-200	95	199.9
RUUD	GHE80SS-200A	95	199.9
RUUD	GHE80SS-300	95	300.0

Manufacturer	Model Name	Thermal Efficiency (%)	Input Rate
RUUD	GHE80SS-300A	95	300.0
RUUD	GHE80SU-130	98	130.0
RUUD	GHE80SU-130A	98	130.0
RUUD	GHE80SU-160	97	160.0
RUUD	GHE80SU-160A	97	160.0
RUUD	GHE80SU-200	95	199.9
RUUD	GHE80SU-200A	95	199.9
RUUD	GHE80SU-300	95	300.0
RUUD	GHE80SU-300A	95	300.0
STATE	GHX 34 130 N 200	96	130.0
STATE	GHX 34 130 P 201	96	130.0
STATE	GHX 50 130 N 200	95	130.0
STATE	GHX 50 130 P 201	95	130.0
STATE	GHX 50 150 N 200	95	150.0
STATE	GHX 50 150 P 201	95	150.0
STATE	GHX 50 175 N 200	96	175.0
STATE	GHX 50 175 P 201	96	175.0
STATE	GHX 50 199 N 200	96	199.0
STATE	GHX 50 199 P 201	96	199.0
STATE	SHE 50 100NE	96	100.0
STATE	SHE 50 101PE	96	100.0
STATE	SHE 50 76 NE* 120	94	76.0
STATE	SHE 75 100N E*	96	100.0
STATE	SHE 75 100P E*	96	100.0
STATE	SPC 34 130 NE 200	96	130.0
STATE	SPC 34 130 PE 201	96	130.0
STATE	SPC 50 130 NE 200	95	130.0
STATE	SPC 50 130 PE 201	95	130.0
STATE	SPC 50 150 NE 200	95	150.0
STATE	SPC 50 150 PE 201	95	150.0
STATE	SPC 50 175 NE 200	96	175.0
STATE	SPC 50 175 PE 201	96	175.0
STATE	SPC 50 199 NE 200	96	199.0
STATE	SPC 50 199 PE 201	96	199.0
STATE	STX-199-N-100	96	199.0
STATE	STX-199-P-101	96	199.0
STATE	SUF 100 150NE 300	96	150.0
STATE	SUF 100 150NEA 300	96	150.0
STATE	SUF 100 150PE 301	98	150.0
STATE	SUF 100 150PEA 301	98	150.0
STATE	SUF 100 199NE 300	97	199.9
STATE	SUF 100 199NEA 300	97	199.9
STATE	SUF 100 199PE 301	97	199.9
STATE	SUF 100 199PEA 301	97	199.9
STATE	SUF 100 250NE 300	96	250.0
STATE	SUF 100 250NEA 300	96	250.0
STATE	SUF 100 250PE 301	96	250.0
STATE	SUF 100 250PEA 301	96	250.0
STATE	SUF 119 300NE 200	96	300.0
STATE	SUF 119 300NE 300	96	300.0



Manufacturer	Model Name	Thermal Efficiency (%)	Input Rate
STATE	SUF 119 300NEA 200	96	300.0
STATE	SUF 119 300NEA 300	96	300.0
STATE	SUF 119 300PE 301	96	300.0
STATE	SUF 119 300PEA 301	96	300.0
STATE	SUF 119 400NE 300	95	399.9
STATE	SUF 119 400NEA 300	95	399.9
STATE	SUF 119 400PE 301	95	399.9
STATE	SUF 119 400PEA 301	95	399.9
STATE	SUF 60 120NE 300	95	120.0
STATE	SUF 60 120NEA 300	95	120.0
STATE	SUF 60 120PE 301	95	120.0
STATE	SUF 60 120PEA 301	95	120.0
UHE	LUHE100T150E*N*	99	150.0
UHE	LUHE100T150*X*	99	150.0
UHE	LUHE100T199E*N*	99	199.9
UHE	LUHE100T250E*N*	97	250.0
UHE	LUHE100T250*X*	97	250.0
UHE	LUHE100T300E*N*	92	300.0
UHE	LUHE100T300*X*	92	300.0
UHE	LUHE100T399E*N*	94	399.0
UHE	LUHE100T399*X*	94	399.0
UHE	LUHE60T125E*N*	96	125.0
UHE	LUHE60T125*X*	96	125.0
UHE	LUHE60T150E*N*	93	150.0
UHE	LUHE60T150*X*	93	150.0
UHE	LUHE60T199E*N*	92	199.9
UHE	LUHE60T199*X*	92	199.9
WESTINGHOUSE	WGC055**130	94	130.0
WESTINGHOUSE	WGC055**160	95	160.0
WESTINGHOUSE	WGC055**199	95	199.0
WESTINGHOUSE	WGC080**130	95	130.0
WESTINGHOUSE	WGC080**160	96	160.0
WESTINGHOUSE	WGC080**199	95	199.0
WESTINGHOUSE	WGC119**130	96	130.0
WESTINGHOUSE	WGC119**160	96	160.0
WESTINGHOUSE	WGC119**199	96	199.0
WESTINGHOUSE	WGCM080**130	96	130.0
WESTINGHOUSE	WGCM080**199	96	199.0
WESTINGHOUSE	WGCM100**130	96	130.0
WESTINGHOUSE	WGCM100**199	95	199.0